

Attachment 2
Literature Cited

American Meteorological Society (AMS). 2000. Glossary of Meteorology. 2nd edition. Allen Press. New York.

Beechie, T. & S. Bolton. 1999. An approach to restoring salmonid habitat-forming processes in Pacific Northwest watersheds. *Fisheries* 24(4):6-15.

Bell, E., W.G. Duffy & T.R. Roelefs. 2001. Fidelity and survival of juvenile coho salmon in response to a flood. *Transactions of the American Fisheries Society* 130: 450-458.

Belt, G.H., J. O'Laughlin and T. Merrill. 1992. Design of Forest Riparian Buffer Strips for the Protection of Water Quality: Analysis of Scientific Literature. Idaho Forest, Wildlife and Range Policy Analysis Group. Report No. 8. College of Forestry, Wildlife and Range Sciences. University of Idaho. Available at <http://www.uiweb.uidaho.edu/cfwr/pag/pagr8p6.html>.

Benda and Associates. 2004. Little North Fork Noyo River wood budget, Mendocino County, California. Unpubl. Final Report prepared for Campbell Timberland Management, Fort Bragg, CA. Lee Benda and Associates, Inc. Mt. Shasta, CA. 45 p.

Benda and Sias. 2003. *As cited in*: SWC. 2008. Scientific Literature Review of Forest Management Effects on Riparian Functions for Anadromous Salmonids. Sound Watershed Consulting. Prepared for the California State Board of Forestry and Fire Protection. September 2008.

Benda, L. 2008a. Riparian management issues: fish bearing channels to headwaters (California Specific). PowerPoint Presentation prepared for the California State Board of Forestry and Fire Protection's Technical Expert Forum for the Scientific Literature Review on Forest Management Effects on Riparian Function for Anadromous Salmonids. October 23, 2008. Sacramento, CA.

Benda, L. 2008b. Riparian zones of influence and implications for riparian management in California. Draft unpublished report submitted to the California Department of Forestry and Fire Protection as part of Agreement No. 8CA07013/8CA00035. Sacramento, CA. 42 p.

Benda, L., P. Bigelow, and K. Andras. 2003. Wood recruitment to streams: Cascades and Klamath Mountains, Northern California. Final Report prepared for Sierra Pacific Industries, Redding, California by Lee Benda and Associates, Inc., Mt. Shasta, California. 44 p. and appendixes.

Benda, L., M.A. Hassan, M. Church, and C.L. May. 2005. Geomorphology of steepland headwaters: The transition from hillslopes to channels. *Journal of the American Water Resources Association* 41(4):835-851.

Beschta, R.L. et al. 1987. Stream temperature and aquatic habitat: fisheries and forestry interactions. Pp. 191-232 in *Streamside Management: Forestry and Fishery Interactions*. E.O.

Salo and T.W. Cundy, eds. Contribution No. 57. College of Forest Resources, University of Washington, Seattle, Washington.

Beschta, R.L., R.E. Bilby, G.W. Brown, L.B. Holtby and T.D. Hofstra. 1987. Stream temperature and aquatic habitat: fisheries and forestry interactions. Pp. 191-231 in *Streamside Management: Forestry and Fisheries Interactions*. E.O. Salo and T.W. Cundy, eds. Contribution No. 57. Institute Of Forest Resources, University of Washington, Seattle, Washington.

Biedenbarn, D.S., C.R. Thorne, P.J. Soar, R. D. Hey and C. C. Watson. 2001. Effective discharge calculation guide. *International Journal of Sediment Research*. 16(4), 445-459.

Biedenbarn, D. S., R. R. Copeland, C. R. Thorne, P. J. Soar, R. D. Hey, and C. C. Watson. 2000. *Effective Discharge Calculation: A Practical Guide*. Report No. ERDC/CHL TR-00-15, U. S. Army Corps of Engineers. Engineer Research and Development Center. Vicksburg, MS.

Bilby, R.E., J.W. Ward. 1991. Characteristics and function of large woody debris in streams draining old growth, clear-cut and second-growth forests in southwestern Washington. *Canadian Journal of Fisheries & Aquatic Sciences* 48: 2499-2508.

Bilby, R.E. and P.A. Bisson. 1998. Function and distribution of large woody debris. Pp. 324-346 in *River Ecology & Management: lessons from the Pacific Coastal region*. R.J. Naiman & R.E. Bilby, eds. Springer, New York.

Bisson, P. A. and R.E. Bilby 1982. Avoidance of suspended sediment by juvenile coho salmon. *North American Journal of Fisheries Management* 4: 371-374.

Bisson, P.A., R.E. Bilby, M.D. Bryant, [et al.]. 1987. Large woody debris in forested streams in the Pacific Northwest: past, present, and future. Pp. 143-190 in *Streamside management: forestry and fishery interactions*. Contrib. 57. Salo, E.O. and T.W. Cundy, eds. Institute Of Forest Resources, University of Washington, Seattle, Washington.

Bliesner, A.K. and E.G. Robison. 2007. Detecting the upstream extent of fish in the Redwood Region of Northern California. Pp. 135-146 in *Proceedings of the Redwood Region Forest Science Symposium: What does the future hold?* USDA Forest Service Gen Tech. Rep. PSW-GTR-194.

California Board of Forestry and Fire Protection (BOF). 2009. *Initial Statement of Reasons, Threatened or Impaired Watershed Rules, 2009*. State Board of Forestry and Fire Protection. Published May 8, 2009. Sacramento, CA.

Boyd, K. F., M. Doyle, and M. Rotar. 2000. Estimation of dominant discharge in an unstable channel environment. Proc., 1999 International Water Resources Engineering Conference (CD-Rom), Environmental and Water Resources Institute, Reston, Va.

Braekensiek, K.E. and D.G. Hankin. 2007. Estimating overwinter survival of juvenile coho salmon in a northern California stream: accounting for effects of passive integrated transponder

tagging mortality and size-dependent survival. Transactions of the American Fisheries Society 136: 1423-1437.

Bramblett, R.G., M.D. Bryant, B.E. Wright & R.G. White. 2002. Seasonal use of small tributary and mainstem habitats by juvenile steelhead, coho salmon and Dolly Varden in a southeastern Alaska drainage basin. Transactions of the American Fisheries Society 131: 498-506.

Brazier, J.R., and G. W. Brown. 1973. Buffer strips for stream temperature control. Research Paper No. 15, Forestry Research Lab, Oregon State University, Corvallis, Oregon. 9 p.

Broadmeadow, S. and T.R. Nisbet. 2004. The effects of riparian forest management on the freshwater environment: a literature review of best management practices. Hydrology and Earth Sciences 8(3): 286-305.

Brown, G.W. 1980. Forestry and water quality. Oregon State University Book Stores, Inc. School of Forestry. Oregon State University, Corvallis, OR. 124 p.

Brown, G.W. and J.T. Krygier. 1970. Effects of clear-cutting on stream temperature. Water Resources Research 6(4):1133-1140.

Bryant, M.D. 1983. The role and management of woody debris in west coast salmonid nursery streams. North American Journal of Fisheries Management 3:322-330.

Bustard, D.R. and D.W. Narver. 1975. Aspects of the winter ecology of juvenile coho salmon (*Oncorhynchus kisutch*) and steelhead trout (*Salmo gairdneri*). Journal of the Fisheries Research Board of Canada 32:667-680.

Rapp, C.F., R.G. Shorelands, and T.B. Abbe. 2003. A Framework for Delineating Channel Migration Zones. Washington State Department of Ecology, Final Draft Publication #03-06-027. 135 p.

Cafferata, P. 1990. Watercourse temperature evaluation guide. California Department of Forestry and Fire Protection, Sacramento, CA.

California Department of Fish and Game (CDFG). 2004. Recovery strategy for California coho salmon. Report to the California Fish and Game Commission. 595 pp. Sacramento, CA.

California Department of Fish and Game. 2000. Guidelines for temporary water drafting from streams and rivers supporting anadromous salmonids; special application for timber harvest activities. Draft. Sacramento, CA. August 2000.

California Department of Forestry and Fire Protection (CDFFP). 1990. California Mean Annual Precipitation Zones, 1900-1960. Sacramento, CA.

Castro, J. 2003. Geomorphologic Impacts of Culvert Replacement and Removal: Avoiding Channel Incision. U.S. Fish and Wildlife Service. Portland, OR. 19 p.

- Cederholm, C.J., B. Houston, D.L. Cole, W.J. Scarlett, B.R Fransen, and J.W. Ward. 1997. Responses of juvenile coho salmon and steelhead to placement of large woody debris in a coastal Washington stream. *North American Journal of Fisheries Management* 17: 947-963.
- Chamberlin, T.W., R.D. Harr, and F.H. Everest. 1991. Timber harvesting, silviculture and watershed processes. Chapter 6 in *Influences of forest and rangeland management on salmonid fishes and their habitats*. Meehan, W.R. ed. Special Publ. 19. Bethesda, MD. American Fisheries Society: 181 – 204.
- Chen, J., J.F. Franklin, and T.A. Spies. 1995. Growing-season microclimatic gradients from clearcut edges into old-growth Douglas-fir forests. *Ecol. Applic.* 5(1):74-86.
- Chen, J., S.C. Saunders, T.R. Crow, R.J. Naiman, K.D. Brosofske, G.D. Mroz, B.L. Brookshire, and J.F. Franklin. 1999. Microclimate in forest ecosystem and landscape ecology. *BioScience* 49(4):288-97.
- Copeland, R.R., D. N. McComas, C. R. Thorne, P. J. Soar, M.M. Jonas, and J. B. Fripp. 2001. *Hydraulic Design of Stream Restoration Projects*. Technical Report ERDC/CHL TR-01-28, U.S. Army Corps of Engineers. Engineer Research and Development Center. Vicksburg, MS.
- Crouse, M.R., C.A. Callahan, K.W. Malueg, S.E. Dominguez. 1981. Effects of Fine Sediments on Growth of Juvenile Coho Salmon in Laboratory Streams. *Transactions of the American Fisheries Society* 110: 281-286.
- Cummins, K.W. and M.W. Wilzbach. 2006. The inadequacy of the fish-bearing criterion for stream management. *Aquatic Sciences* 67: 486-491.
- Dolloff, C.A. 1986. Effects of stream cleaning on juvenile coho salmon and Dolly Varden in southeast Alaska. *Transactions of the American Fisheries Society*, 115:743-755.
- Doyle, M.W., K.F. Boyd, and P.B. Skidmore. 1999. River restoration channel design: back to the basics of dominant discharge. *Second International Conference on National Channel Systems*, Ministry of Natural Resources, Ontario. Petersborough, Ontario.
- Ebersole, J.L., P.J. Wigington, J.P. Baker, M.A. Cairns, M.R. Church, B.P. Hanson, B.A. Miller, H.R. LaVigne, J.A. Compton, S.G. Leibowitz. 2006. Juvenile coho salmon growth and survival across stream network seasonal habitats. *Transactions of the American Fisheries Society* 135: 1681-1697.
- Elliot, S.T. 1986. Reduction of a Dolly Varden population and macrobenthos after removal of logging debris. *Transactions of the American Fisheries Society* 115:392-400.
- Emmett, W.W. and M.G. Wolman. (2001). Effective discharge and gravel-bed rivers. *Earth Surface Processes and Landforms*, 26, 1369-1380.

Everest, F. and G. H. Reeves. 2007. Riparian and aquatic habitats of the Pacific Northwest and Southeast Alaska: Ecology, Management History and Potential Management Strategies. USDA General Tech Rep. PNW-GTR-692.

Federal Interagency Stream Restoration Working Group. 1998. Stream corridor restoration: principles, processes and practices. National Technical Information Service. U.S. Department of Commerce. Springfield, Virg.

Floerke, R.W. 2006a. California Department of Fish and Game Memorandum: "Focused Pre-Harvest Inspection Report for the "7-Mile Springs" Timber Harvesting Plan, 1-06-188 MEN". December 19, 2006. Northern Region. Ft. Bragg, CA.

Floerke, R.W. 2006b. California Department of Fish and Game Memorandum: "Focused Pre-Harvest Inspection Report for the "Big Cat Crossing" Timber Harvesting Plan, 1-06-138 MEN". September 8, 2006. Northern Region. Ft. Bragg, CA.

Flosi, G., S. Downie, J. Hopelain, M. Bird, R. Coey and B. Collins. 1998. California Salmonid Stream Habitat Restoration Manual, 3rd edition. California Department of Fish and Game. Inland Fisheries Division. Sacramento, CA.

Gale, D. 2008. Coho salmon use of off-channel habitat in the lower Klamath River. Paper presented at 27th Salmonid Restoration Conference, March 4-7, 2008. Santa Cruz, CA.

Giannico, G. and S.G. Hinch. 2003. The effect of wood and temperature on juvenile coho salmon winter movement, growth, density and survival in side-channels. *River Research & Applications* 19: 219-231.

Gomi, T., R.C. Sidle, and J.S. Richardson. 2002. Understanding processes and downstream linkages of headwaters systems. *BioScience* 52:905-916.

Gregory, S.V and P.A. Bisson. 1996. Degradation and loss of anadromous salmonid habitat in the Pacific Northwest. Pp 277-314 in *Pacific Salmon and Their Ecosystems*. D.J. Stouder et al. eds. Chapman & Hall.

Grette, G.B. 1985. The role of large organic debris in juvenile salmonid habitat in small streams in second-growth and unlogged forests. M.S. thesis, University of Washington, Seattle.

Hall, J.D., C.J. Cederholm, M.L. Murphy and K.V. Koski. 2004. Fish-forestry interactions in Oregon, Washington and Alaska, USA. Chapter 17 in *Fishes and Forestry. Worldwide Watershed Interactions and Management*. Blackwell Sciences.

Harrelson, C.C., C.L. Rawlins, and J.P. Potyondy. 1994. Stream Channel Reference Sites: An Illustrated Guide to Field Technique. General Technical Report RM-245. U.S. Department of Agriculture, Forest Service. Rocky Mountain Forest and Range Experiment Station. Fort Collins, CO.

Harvey, M.D. and C.C. Watson. 1986. Fluvial processes and morphological thresholds in incised channel restoration. *Water Resources Bulletin*, 22(3):359-368.

Heifetz, J., M.L. Murphy, K.V. Koski. 1986. Effects of logging on winter habitat of juvenile salmonids in Alaskan streams. *North American Journal of Fisheries Management* 6: 52-58.

Henning, J.A., R.E. Greswell and I.A. Fleming. 2006. Juvenile salmonid use of freshwater emergent wetlands in the floodplain and its implications for conservation management. *North American Journal of Fisheries Management* 26:367-376.

Henning, J.A., R.E. Greswell and I.A. Fleming. 2007. Use of seasonal freshwater wetlands by fishes in a temperate river floodplain. *Journal of Fish Biology* 71: 476-492.

Hey, R. D. 1975. Design discharge for natural channels. Pp. 73–88 in *Science, technology and environmental management*. R. D. Hey and T. D. Davies, eds. Saxon House. Farnborough, England.

Hey, R. D. (1994). Restoration of gravel-bed rivers: Principles and practice. *“Natural” channel design: Perspectives and practice*, Canadian Water Resources Association, Cambridge, Ont., 157–173.

Hicks, B. J., J.D. Hall, P.A. Bisson, and J.R. Sedell. 1991. Responses of salmonids to habitat changes. Pp. 483-518 in *Influences of forest and rangeland management on salmonid fishes and their habitats*. Special Publ. 19. Meehan, W.R. ed. American Fisheries Society. Bethesda, MD.

Higgins, C.G. 1984. Piping and sapping: development of landforms by groundwater outflow. Pg. 18-58 in *Groundwater as a Geomorphic Agent*. R.G. LaFleur ed. Allen and Unwin. New York.

Horton, R.E. 1945. Erosional developments of streams and their drainage basins: hydrophysical approach to quantitative morphology. *Geological Society of America, Bulletin* v.56, pp. 275-370.

J. L. Meyers, L.A. Kaplan, D. Newbold, et al. 2003. *Where Rivers are Born: The Scientific Imperative for Defending Small Streams and Wetlands*. American Rivers, the Sierra Club Foundation and the Turner Foundation. Pgs. 23. Washington, DC.

Jeffres, C.A., J.J. Opperman, P.B. Moyle. 2008. Ephemeral floodplain habitats provide best growth conditions for juvenile Chinook salmon in a California river. *Environmental Biology of Fishes* 83: 449-458.

Kauffman, J.B., R.L. Beschta, N. Otting and D. Lytjen. 1997. An ecologic perspective of riparian and stream restoration in the Western United States. *Fisheries* 22(5): 12-24.

Lane, E.W. 1955. Design of stable alluvial channels. *Transactions, American Society of Civil Engineers* 120(2776):1234-1260.

- Leopold, L.B. 1994. *A View of the River*. Harvard University Press. Pgs 227-230.
- Leopold, L.B., M.G. Wolman, and J.P. Miller. 1964. *Fluvial processes in geomorphology*. W.H. Freeman and Co., San Francisco. 522 p.
- Lewis, T., D. Lamphear, D. McCanne, A. Webb, J. Krieter, and W. Conroy. 2000. Regional assessment of stream temperatures across Northern California and their relationship to various landscape-level and site-specific attributes. Tech Report. Forest Science Project, Humboldt State University Foundation. Arcata, CA.
- Lienkaemper, G.W. and F.J. Swanson. 1987. Dynamics of large woody debris in streams in old-growth Douglas-fir forests. *Canadian Journal of Fire research* 17: 150-156.
- Ligon, F., A. Rich, G. Rynearson, D. Thornburgh, and W. Trush. 1999. Report of the Scientific Review Panel on California Forest Practice Rules and Salmonid Habitat. Prepared for The Resources Agency of California and the National Marine Fisheries Service, Sacramento, CA.
- Lindquist, J.L., and M.N. Palley. 1963. Empirical yield tables for young-growth redwood. Univ. Calif., Div. Agric. Sci. Ca. Exper. Stat. Bull. 796.
- Lisle, T.E. 1986. Effects of woody debris on anadromous salmonid habitat, Prince of Wales Island, southeast Alaska. *North American Journal of Fisheries Management* 6: 538-550.
- Macedo, R.A. 1992. Evaluation of side-channels for increasing rearing habitat of juvenile salmonids. M.S. Thesis, Humboldt State Univ., Arcata, CA. 148 pp.
- Madej, M.A., C. Currens, and J. Yee. 2006. Assessing possible thermal restrictions for coho salmon (*Oncorhynchus kisutch*) through thermal infrared and instream monitoring, Redwood Creek, California. *Canadian Journal of Fisheries & Aquatic Sciences* 63:1384–1396.
- McDade, M.H., F.J. Swanson, W.A. McKee, J.F. Franklin, and J. Van Sickle. 1990. Source distances for coarse woody debris entering small streams in western Oregon and Washington. *Canadian Journal of Forestry Research* 20:326-330.
- McNeil, W.J. and W.H. Ahnell. 1964. Success of pink salmon spawning relative to size of spawning bed materials. U.S. Fish & Wildlife Service. Special Scientific Report – Fisheries, 469.
- Meyer, J.L. et al. 2007. The contribution of headwater streams to biodiversity in river networks. *Journal of the American Water Resources Association* 43(1): 86-103.
- Minshall, G.W., K.W. Cummins, R.C. Peterson, [et al.]. 1985. Development in stream ecosystem theory. *Canadian Journal of Fisheries and Aquatic Sciences*. 42: 1045-1055.
- Montana Department of Environmental Quality. 2007. Longitudinal field methodology for the assessment of TMDL sediment and habitat impairments. Montana Department of Environmental

Quality. June 2007. Helena, MT. 29 pp. Available at http://www.bluewatertaskforce.org/documents/Sediment-Field-Methods_22.pdf.

Morley, S.A., P.S. Garcia, T.R Bennett and P. Roni. 2005. Juvenile salmonid (*Oncorhynchus* spp.) use of constructed and natural side channels in Pacific Northwest rivers. *Canadian Journal of Fisheries & Aquatic Sciences* 62: 2811-2821.

Moyle, P.B., J.A. Israel & S.E. Purdy. 2008. Salmon, steelhead and trout in California. Status of an emblematic fauna. A report commissioned for California Trout. 381 pp.

Murphy, M.L., J. Heifetz, S.W. Johnson, [et al.]. 1986. Effects of clear-cut logging with and without buffer strips on juvenile salmonids in Alaskan streams. *Canadian Journal of Fisheries & Aquatic Sciences* 43: 1521-1533.

Murphy, M.L., K.V. Koski. 1989. Input and depletion of woody debris in Alaska streams and implications for streamside management. *North American Journal of Fisheries Management* 9: 427-436.

Naiman, R.J. and J.J. Latterrell. 2005. Principles for linking fish habitat to fisheries management and conservation. *Journal of Fish Biology* 67(Supplement B), 166-185.

Naiman, R.J., R.E. Bilby and P.A. Bisson. 2000. Riparian ecology and management in the Pacific coastal rain forest. *Bioscience* 50(11): 996-1011.

Nakamura, G. 2000. Results of the Canopy Measurement Workshop. University of California, Center for Forestry. Available at http://www.cnr.berkeley.edu/forestry/curr_proj/canopywkshp/canopy.html.

National Marine Fisheries Service (NMFS). 2001. Water drafting specifications. Southwest Region. Long Beach, CA. August 2001.

National Oceanic and Atmospheric Administration (NOAA). 2009a. Recovery Plan for the Evolutionary Significant Unit of Central California Coast Coho Salmon. National Marine Fisheries Service. Southwest Region. In preparation.

National Oceanic and Atmospheric Administration (NOAA). 2009b. Recovery Plan for the Evolutionary Significant Unit of Southern Oregon Northern California Coast Coho Salmon. National Marine Fisheries Service. Southwest Region. In preparation.

Nickelson, T.T., J.D. Rodgers, S.L. Johnson, M.F. Solazzi. 1992. Seasonal changes in habitat use by juvenile coho salmon (*Oncorhynchus kisutch*) in Oregon coastal streams. *Canadian Journal of Fisheries & Aquatic Sciences* 49: 783-789.

Noss, R.F., L. Benda, T. Hamer, J. McBride, T. Roelofs, T. Sholars, and B. Ziemer. 2003. Report of Science Advisors: Mendocino Redwood Company Natural Community Conservation Plan Habitat Conservation Plan. Unpubl. Rept. 64 p.

Opperman, J.J. and A.M. Merenlender. 2004. The effectiveness of riparian restoration for improving instream fish habitat in four hardwood-dominated California streams. *North American Journal of Fisheries Management* 24:822-834.

P. Cafferata, T. Spittler, M. Wopat, G. Bundros, and S. Flanagan. 2004. California Forestry Report No.1. Designing watercourse crossings for passage of 100-year flood flows, wood and sediment. California Department of Forestry and Fire Protection. Sacramento, CA. 39 p.

Pollock, M.M., and P.M. Kennard. 1998. A low-risk strategy for preserving riparian buffers needed to protect and restore salmonid habitat in forested watersheds of Washington State. 10,000 Years Institute. Bainbridge Island, WA.

Pollock, M.M., G.R. Pess, T.J. Beechie and D.R. Montgomery. 2004. The importance of beaver ponds to coho salmon production in the Stillaguamish River basin, Washington, USA. *North American Journal of Fisheries Management* 24:749-760.

Pusey, B.J. and A.H. Arthington. 2003. Importance of the riparian zone to the conservation and management of freshwater fish. *Marine and Freshwater Research* 54:1-16.

Pyles, M.R., R.A. Macedo, W.F. Megahan, and J. Tappeiner. 2002. Analysis and responses regarding prescriptions for the Freshwater Creek watershed. Watershed Analysis Peer Review Panel commissioned under the Pacific Lumber Company Habitat Conservation Plan. Final Report dated May 13, 2002. 43 p.

Rachin, E.B., C.J. Clishe, A.T. Loch, and J.M. Bell. 2006. Effectiveness of timber harvest practices for controlling sediment related water quality impacts. *Journal of the American Water Resources Association* 42(5):1307-1327.

Ransom, B.O. 2007. Extended freshwater rearing of juvenile coho salmon (*Oncorhynchus kisutch*) in northern California streams. M.S. thesis, Humboldt State University. Arcata, CA.

Rantz, S. 1972. Mean annual precipitation in the California region. U.S. Geological Survey. Open-File Map. Menlo Park, CA.

Rantz, S.E., 1969, Mean annual precipitation in the California region: U.S. Geological Survey Open-File Map.

Reeves, G.H., F.H. Everest, and J.R. Sedell. 1993. Diversity of juvenile anadromous salmonid assemblages in coastal Oregon basins with different levels of timber harvest. *Transactions of the American Fisheries Society* 122: 309-317.

Reeves, G.H., K.M. Burnett and E.V. McGarry. 2003. Sources of large wood in the mainstem of a fourth order watershed in Oregon. *Canadian Journal of Forest research* 33: 1363-1370.

Reeves, G.H., L.E. Benda, K.M. Burnett., P.A. Bisson and J.R. Sedell, 1995. A disturbance-based ecosystem approach to maintaining and restoring freshwater habitats of evolutionarily significant

units of anadromous salmonids in the Pacific Northwest. Pp. 334-349 in Evolution and the aquatic ecosystem: defining unique units in population conservation. J.L. Nielsen, ed. American Fisheries Society Symposium 17. Bethesda, Maryland.

Reeves, G.H. 2006. The Aquatic Conservation Strategy of the Northwest Forest Plan: An Assessment after 10 years. Chapter 9 in: Northwest Forest Plan – The First 10 Years (1994-2003): Synthesis of Monitoring and Research Results. U.S. Dep. Agriculture, Forest service. General tech Rep. PNW-GTR-651.

Reid, L.M., and S. Hilton. 1998. Buffering the buffer. Pp 71-80 in Proceedings of the conference on coastal watersheds: the Caspar Creek Story. R.R. Ziemer, ed. U.S.D.A. Forest Service Gen. Tech. Rep. PSW-GTR-168.

Richardson, J.S. and R.J. Danehy. 2007. A synthesis of the ecology of headwater streams and their riparian zones in temperate forests. *Forest Science* 53(2):131-147.

Riley, A. L. 1998. Restoring streams in cities: A guide for planners, policymakers, and citizens. Island Press. Washington, D.C.

Roni, P., T.P. Quinn. 2001. Density and size of juvenile salmonids in response to placement of large woody debris in western Oregon and Washington streams. *Canadian Journal of Fisheries & Aquatic Sciences*: 58: 282-292.

Roni, P., S.A. Morley, P. Garcia, C. Detrick, D. King and E. Beamer. 2006. Coho salmon smolt production from constructed and natural floodplain habitats. *Transactions of the American Fisheries Society* 135: 1398-1408.

Rosenberg, R.J., B.L. Blad, and S.B. Verma. 1983. *The Biological Environment*. John Wiley and Sons. New York.

Rosenfeld, J.S., E. Raeburn, P.C. Carrier and R. Johnson. 2008. Effects of side channel structure on productivity of floodplain habitats for juvenile coho salmon. *North American Journal of Fisheries Management* 28: 1108-1119.

Roy, D.F. 1966. Silvical characteristics of redwood (*Sequoia sempervirens* [D. Don] Endl.). Res. Paper PSW-RP-28. Berkeley, CA: Pacific Southwest Forest & Range Experiment Station Forest Service. U. S. Department of Agriculture; 20 p.

Russell, W.H., and C. Jones. 2001. The effects of timber harvesting on the structure and composition of adjacent old-growth coast redwood forest, California, USA. *Landsc. Ecol.* 16: 731–41.

Schumm, S.A., M.D. Harvey, and C.C. Watson. 1984. *Incised channels: morphology, dynamics and control*. Water Resources Publications. Littleton, CO.

Shaffer, K.E. and W.F. Laudenslayer. 2006. Fire and Animal Interactions. In *Fire in California's Ecosystems*. Sugihara, N.G., J.W. Van Wagtenonk, K.E. Shaffer, J. Fitees-Kaufman, and A.E. Thode, eds. University of California Press.

Soar, P.J. 2000. Channel Restoration Design for Meandering Rivers. Unpublished PhD Thesis, School of Geography. University of Nottingham. Nottingham, U.K., 409 pp.

Solazzi, M.F., T.E. Nickolson, S.L. Johnson and J.D. Rodgers. 2000. Effects of increasing winter rearing habitat on abundance of salmonids in two Oregon coastal streams. *Canadian Journal of Fisheries & Aquatic Sciences* 57(5): 906-914.

Sommer, T.R., M.L. Nobriga, W.C. Harrell, W. Batham and W.J. Kimmerer. 2001. Floodplain rearing of juvenile chinook salmon: evidence of enhanced growth and survival. *Canadian Journal of Fisheries & Aquatic Sciences* 58(20): 325-333.

Sommer, T.R., W.C. Harrell, and M.L. Nobriga. 2005. Habitat Use and Stranding Risk of Juvenile Chinook Salmon on a Seasonal Floodplain. *North American Journal of Fisheries Management* 25(4): 1493-1504.

Sound Watershed Consulting (SWC). 2008. Scientific literature review of forest management effects on riparian functions for anadromous salmonids. Final Report prepared for the California State Board of Forestry and Fire Protection. Oakland, CA. 328 p.

Spence, B.C., R.M., Hughes, G.A. Lomnický, and R.P. Novitzki. 1996. An ecosystem approach to salmonid conservation. Volume 1: Technical foundation. Report prepared for the National Marine Fisheries Service; Environmental Protection Agency, Region 10; and the U.S. Fish and Wildlife Service by ManTech Environmental Technology, Inc. On file with: ManTech Environmental Technology, Inc., 1600 Western Blvd., Corvallis, OR.

Stacey, G.B. 2007. California Department of Fish and Game Memorandum: "Pre-Harvest Inspection Report for the Road 13500 Timber Harvesting Plan, 1-07-075MEN", July 3, 2007. Northern Region. Ft. Bragg, CA.

Strahler, A.N. 1952. Hypsometric (area-altitude) analysis of erosional topography. *Bulletin Geological Society of America*. 63: 1117-1142.

Strahler, A.N. 1964. Quantitative geomorphology of drainage basins and channel networks. In *Handbook of Applied Hydrology*. Ven Te Chow, ed. McGraw Hill, New York. Pp. 4-39.

Sullivan, K., D.J. Martin, R.D. Cardwell, J.E. Toll, and S. Duke. 2000. An analysis of the effects of temperature on salmonids of the Pacific Northwest with implications for selecting temperature criteria. Sustainable Ecosystems Institute, Portland Oregon.

Sullivan, K.; Lisle, T.E.; Dolloff, C.A. [et al.]. 1987. Stream channels: the link between the forests and fishes. Pp. 39-97 in *Streamside management: forestry and fishery interactions*.

Contrib. 57. Salo, E.O. and T.W.Cundy, eds. Institute of Forest Resources. University of Washington. Seattle, WA.

Swales, S. & C.D. Levings. 1989. Role of off-channel ponds in the life-cycle of coho salmon (*Oncorhynchus kisutch*) and other juvenile salmonids in the Coldwater River, British Columbia. Canadian Journal of Fisheries & Aquatic Sciences 46: 232-242.

T. Dunne and L. Leopold. 1978. Water in environmental planning. W.H. Freeman and Co. New York. Pgs 67-73.

Thode, A.E., J.L. Kershner, K. Roby, L.M. Decker, and J.L. Beyers. 2006. Fire, watershed resources, and aquatic ecosystems. In Fire in California's Ecosystems. Sugihara, N.G., J.W. Van Wagtendonk, K.E. Shaffer, J. Fitees-Kaufman, and A.E. Thode, eds. University of California Press.

Thomas, J.W., and 97 others. 1993. Forest ecosystem management: an ecological, economic, and social assessment. US Depart. Agriculture, For. Serv.; US Depart. Commerce, Nat. Oceanic Atmospheric Admin. & Nat. Mar. Fish. Serv.; US Depart. Interior, Bur. Land Manage., Fish & Wildl. Serv., Nat. Park Serv.; and Env. Prot. Agency. US Gov. Printing Off: 1993-793-071. IX-24 [1993 FEMAT].

Thorne, C.R., R. G. Allen, and A. Simon. 1996. Geomorphological river channel reconnaissance for river analysis, engineering and management. Trans. Inst. British Geography, 21, 469-483.

Topping, B.J.D., T.L. Nadeau, and M.R. Turaski. 2009. Oregon streamflow duration assessment method interim version. United States Army Corps of Engineers. Public Notice release date, 6 March 2009. 60 p. Portland, OR.

Tschapalinski, P.J. and G.F. Hartman. 1983. Winter distribution of juvenile coho salmon (*Oncorhynchus kisutch*) before and after logging in Carnation Creek, British Columbia, and some implications for overwinter survival. Canadian Journal of Fisheries & Aquatic Sciences 40(4):452-461.

Vannote, R.L., G.W. Minshall, K.W. Cummins [et al]. 1980. The river continuum concept. Canadian Journal of Fisheries & Aquatic Sciences 37:130-137.

W.E. Wilson and J.E. Moore. 1998. Glossary of hydrology. Wilson, W.E. and J.E. Moore, eds. American Geological Union. Virginia. 249 p.

Waananen, A.O., and J.R. Crippen. 1977. Magnitude and frequency of floods in California: U.S. Geological Survey Water-Resources Investigations Report 77-21. 96 p.

Welsch, D.J. 1991. Riparian forest buffers. NA-PR-01-91. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Area State and Private Forestry. 20 p.

Welsh, H.H. Jr., G. R. Hodgson, and B. C. Harvey. 2001. Distribution of juvenile coho salmon in relation to water temperatures in tributaries of the mattole river, california. Transactions of the American Fisheries Society 21: 464-470.

Wharton, G., N.W. Arnell, K.J. Gregory, and A.M Gurnell. 1989. River discharge estimated from channel dimensions. J. Hydrol. 106:365-376.

Wigington, P.J. et al. 2006. Coho salmon dependence on intermittent streams. Front. Ecolo. Environ. 4(10): 513-518.

Williams, G. P.(1978. Bankfull discharge of rivers. Water Resources Research, 14(6), 1141-1480.

Wipfli, M.S. and D.P. Gregovich. 2002. Export of invertebrates and detritus from fishless headwater streams in southeastern Alaska, USA. Can J. Fish. Aquat. Sci. 54: 1259-1269.

Wipfli, M.S. 1996. Terrestrial invertebrates as salmonid prey and nitrogen sources in streams: contrasting old-growth and young-growth riparian forests in southeastern Alaska, USA. Canadian Journal of Fisheries & Aquatic Sciences 54: 1259-1269.

Wipfli, M.S. 2005. Trophic linkages between headwater forests and downstream fish habitats: implications for forest and fish management. Landscape & Urban Planning 72:205-213.

Wipfli, M.S. and D.P. Gregovich. 2002. Export of invertebrates and detritus from fishless headwater streams in southeastern Alaska, USA. Canadian Journal of Fisheries and Aquatic Sciences 54: 1259-1269.

Wolman, M. G. and J. P. Miller. 1960. Magnitude and frequency of forces in geomorphic processes. Journal of Geology, 68, 54-74.

Young, K,A., S.G. Hinch, and T.G. Northcote. 1999. Status of resident coastal cutthroat trout and their habitat twenty-five years after logging. North American Journal of Fisheries Management 19: 901-911.

Ziemer, R. R. and J. S. Albright. 1987. USDA Forest Service, Pacific Southwest Forest and Range Experiment Station, Erosion and Sedimentation in the Pacific Rim (proceedings of the Corvallis Symposium, August 1987); IAHS Publ. no. 165.