

Attachment 3  
Literature Cited

American Meteorological Society (AMS). 2000. Glossary of Meteorology. 2nd edition. Allen Press. New York.

Beechie, T. and S. Bolton. 1999. An approach to restoring salmonid habitat-forming processes in Pacific Northwest watersheds. *Fisheries* 24(4):6-15.

Bell, E., W.G. Duffy, and T.R. Roelefs. 2001. Fidelity and survival of juvenile coho salmon in response to a flood. *Transactions of the American Fisheries Society* 130: 450-458.

Belt, G.H., J. O'Laughlin and T. Merrill. 1992. Design of Forest Riparian Buffer Strips for the Protection of Water Quality: Analysis of Scientific Literature. Idaho Forest, Wildlife and Range Policy Analysis Group. Report No. 8. College of Forestry, Wildlife and Range Sciences. University of Idaho. Available at <http://www.uiweb.uidaho.edu/cfwr/pag/pagr8p6.html>.

Benda, L. 2003. Southern Exposure Study: wood recruitment and erosion studies. PowerPoint presentation to the California State Board of Forestry and Fire Protection. September 10, 2003. Sacramento, CA.

Benda, L. 2008a. Riparian management issues: fish bearing channels to headwaters (California Specific). PowerPoint Presentation prepared for the California State Board of Forestry and Fire Protection's Technical Expert Forum for the Scientific Literature Review on Forest Management Effects on Riparian Function for Anadromous Salmonids. October 23, 2008. Sacramento, CA.

Benda, L. 2008b. Riparian zones of influence and implications for riparian management in California. Draft unpublished report submitted to the California Department of Forestry and Fire Protection as part of Agreement No. 8CA07013/8CA00035. Sacramento, CA. 42 p.

Benda and Associates. 2004. Little North Fork Noyo River wood budget, Mendocino County, California. Unpubl. Final Report prepared for Campbell Timberland Management, Fort Bragg, CA. Lee Benda and Associates, Inc. Mt. Shasta, CA. 45 p.

Benda, L., P. Bigelow, and K. Andras. 2003. Wood recruitment to streams: Cascades and Klamath Mountains, Northern California. Final Report prepared for Sierra Pacific Industries, Redding, California by Lee Benda and Associates, Inc., Mt. Shasta, California. 44 p. and appendixes.

Benda, L.E., P. Bigelow, and T.M. Worsley. 2002. Recruitment of wood to streams in old-growth and second-growth redwood forests, northern California, U.S.A. *Can. J. For. Res.* 32: 1460-1477.

Benda, L., M.A. Hassan, M. Church, and C.L. May. 2005. Geomorphology of steeppland headwaters: The transition from hillslopes to channels. *Journal of the American Water Resources Association* 41(4):835-851.

Boyd, K. F., M. Doyle, and M. Rotar. 2000. Estimation of dominant discharge in an unstable channel environment. Proc., 1999 International Water Resources Engineering Conference (CD-Rom), Environmental and Water Resources Institute, Reston, Va.

Braekensiek, K.E. and D.G. Hankin. 2007. Estimating overwinter survival of juvenile coho salmon in a northern California stream: accounting for effects of passive integrated transponder tagging mortality and size-dependent survival. Transactions of the American Fisheries Society 136: 1423-1437.

Bramblett, R.G., M.D. Bryant, B.E. Wright and R.G. White. 2002. Seasonal use of small tributary and mainstem habitats by juvenile steelhead, coho salmon and Dolly Varden in a southeastern Alaska drainage basin. Transactions of the American Fisheries Society 131: 498-506.

Brazier, J.R., and G. W. Brown. 1973. Buffer strips for stream temperature control. Research Paper No. 15, Forestry Research Lab, Oregon State University, Corvallis, Oregon. 9 p.

Broadmeadow, S. and T.R. Nisbet. 2004. The effects of riparian forest management on the freshwater environment: a literature review of best management practices. Hydrology and Earth Sciences 8(3): 286-305.

Brown, G.W. and J.T. Krygier. 1970. Effects of clear-cutting on stream temperature. Water Resources Research 6(4):1133-1140.

Bryant, M.D. 1983. The role and management of woody debris in west coast salmonid nursery streams. North American Journal of Fisheries Management 3:322-330.

Bustard, D.R. and D.W. Narver. 1975. Aspects of the winter ecology of juvenile coho salmon (*Oncorhynchus kisutch*) and steelhead trout (*Salmo gairdneri*). Journal of the Fisheries Research Board of Canada 32:667-680.

Rapp, C.F., R.G. Shorelands, and T.B. Abbe. 2003. A Framework for Delineating Channel Migration Zones. Washington State Department of Ecology, Final Draft Publication #03-06-027. 135 p.

Cafferata, P. 1990. Watercourse temperature evaluation guide. California Department of Forestry and Fire Protection, Sacramento, CA.

California Department of Fish and Game. 2000. Guidelines for temporary water drafting from streams and rivers supporting anadromous salmonids; special application for timber harvest activities. Draft. Sacramento, CA. August 2000.

California Department of Fish and Game (CDFG). 2004. Recovery strategy for California coho salmon. Report to the California Fish and Game Commission. 595 pp. Sacramento, CA.

Dolloff, C.A. 1986. Effects of stream cleaning on juvenile coho salmon and Dolly Varden in southeast Alaska. *Transactions of the American Fisheries Society*, 115:743-755.

Doyle, M.W., K.F. Boyd, and P.B. Skidmore. 1999. River restoration channel design: back to the basics of dominant discharge. Second International Conference on National Channel Systems, Ministry of Natural Resources, Ontario. Petersborough, Ontario.

Ebersole, J.L., P.J. Wigington, J.P. Baker, M.A. Cairns, M.R. Church, B.P. Hanson, B.A. Miller, H.R. LaVigne, J.A. Compton, S.G. Leibowitz. 2006. Juvenile coho salmon growth and survival across stream network seasonal habitats. *Transactions of the American Fisheries Society* 135: 1681-1697.

Elliot, S.T. 1986. Reduction of a Dolly Varden population and macrobenthos after removal of logging debris. *Transactions of the American Fisheries Society* 115:392-400.

Emmett, W.W. and M.G. Wolman. (2001). Effective discharge and gravel-bed rivers. *Earth Surface Processes and Landforms*, 26, 1369-1380.

Everest, F. and G. H. Reeves. 2007. Riparian and aquatic habitats of the Pacific Northwest and Southeast Alaska: Ecology, Management History and Potential Management Strategies. USDA General Tech Rep. PNW-GTR-692.

Federal Interagency Stream Restoration Working Group. 1998. Stream corridor restoration: principles, processes and practices. National Technical Information Service. U.S. Department of Commerce. Springfield, Virg.

Fiala, A.C.S., S.L. Garman, and A.N. Gray. 2006. Comparison of five cover estimation techniques in the western Oregon Cascades. *Forest Ecology and Management* 232: 188-197. Available online at: [http://www.fs.fed.us/pnw/pubs/journals/pnw\\_2006\\_fiala001.pdf](http://www.fs.fed.us/pnw/pubs/journals/pnw_2006_fiala001.pdf)

Floerke, R.W. 2006a. California Department of Fish and Game Memorandum: "Focused Pre-Harvest Inspection Report for the "7-Mile Springs" Timber Harvesting Plan, 1-06-188 MEN". December 19, 2006. Northern Region. Ft. Bragg, CA.

Floerke, R.W. 2006b. California Department of Fish and Game Memorandum: "Focused Pre-Harvest Inspection Report for the "Big Cat Crossing" Timber Harvesting Plan, 1-06-138 MEN". September 8, 2006. Northern Region. Ft. Bragg, CA.

Flosi, G., S. Downie, J. Hopelain, M. Bird, R. Coey and B. Collins. 1998. California Salmonid Stream Habitat Restoration Manual, 3<sup>rd</sup> edition. California Department of Fish and Game. Inland Fisheries Division. Sacramento, CA.

Gale, D. 2008. Coho salmon use of off-channel habitat in the lower Klamath River. Paper presented at 27th Salmonid Restoration Conference, March 4-7, 2008. Santa Cruz, CA.

Hicks, B. J., J.D. Hall, P.A. Bisson, and J.R. Sedell. 1991. Responses of salmonids to habitat changes. Pp. 483-518 in Influences of forest and rangeland management on salmonid fishes and their habitats. Special Publ. 19. Meehan, W.R. ed. American Fisheries Society. Bethesda, MD.

Higgins, C.G. 1984. Piping and sapping: development of landforms by groundwater outflow. Pg. 18-58 in Groundwater as a Geomorphic Agent. R.G. LaFleur ed. Allen and Unwin. New York.

Horton, R.E. 1945. Erosional developments of streams and their drainage basins: hydrophysical approach to quantitative morphology. Geological Society of America, Bulletin v.56, pp. 275-370.

J. L. Meyers, L.A. Kaplan, D. Newbold, et al. 2003. Where Rivers are Born: The Scientific Imperative for Defending Small Streams and Wetlands. American Rivers, the Sierra Club Foundation and the Turner Foundation. Pgs. 23. Washington, DC.

Jeffres, C.A., J.J. Opperman, P.B. Moyle. 2008. Ephemeral floodplain habitats provide best growth conditions for juvenile Chinook salmon in a California river. Environmental Biology of Fishes 83: 449-458.

Kauffman, J.B., R.L. Beschta, N.Otting and D. Lytjen. 1997. An ecologic perspective of riparian and stream restoration in the Western United States. Fisheries 22(5): 12-24.

Kelsey, K.A. and S.D. West. 1998. Riparian wildlife. Pgs 235-258, in: R.E. Naiman and R.E. Bilby, (eds.), River Ecology and Management: Lessons from the Pacific Coastal Ecoregion. Springer-Verlag, N.Y.

Lane, E.W. 1955. Design of stable alluvial channels. Transactions, American Society of Civil Engineers 120(2776):1234-1260.

Leopold, L.B. 1994. A View of the River. Harvard University Press. Pgs 227-230.

Leopold, L.B., M.G. Wolman, and J.P. Miller. 1964. Fluvial processes in geomorphology. W.H. Freeman and Co., San Francisco. 522 p.

Lewis, T., D. Lamphear, D. McCanne, A. Webb, J. Krieter, and W. Conroy. 2000. Regional assessment of stream temperatures across Northern California and their relationship to various landscape-level and site-specific attributes. Tech Report. Forest Science Project, Humboldt State University Foundation. Arcata, CA.

Lienkaemper, G.W. and F.J. Swanson. 1987. Dynamics of large woody debris in streams in old-growth Douglas-fir forests. Canadian Journal of Forest Research 17: 150-156.

Ligon, F., A. Rich, G. Rynearson, D. Thornburgh, and W. Trush. 1999. Report of the Scientific Review Panel on California Forest Practice Rules and Salmonid Habitat. Prepared for The Resources Agency of California and the National Marine Fisheries Service, Sacramento, CA.

- Morley, S.A., P.S. Garcia, T.R Bennett and P. Roni. 2005. Juvenile salmonid (*Oncorhynchus* spp.) use of constructed and natural side channels in Pacific Northwest rivers. *Canadian Journal of Fisheries and Aquatic Sciences* 62: 2811-2821.
- Moyle, P.B., J.A. Israel and S.E. Purdy. 2008. Salmon, steelhead and trout in California. Status of an emblematic fauna. A report commissioned for California Trout. 381 pp.
- Murphy, M.L., J. Heifetz, S.W. Johnson, [et al.]. 1986. Effects of clear-cut logging with and without buffer strips on juvenile salmonids in Alaskan streams. *Canadian Journal of Fisheries and Aquatic Sciences* 43: 1521-1533.
- Murphy, M.L., K.V. Koski. 1989. Input and depletion of woody debris in Alaska streams and implications for streamside management. *North American Journal of Fisheries Management* 9: 427-436.
- Naiman, R.J. and J.J. Latterrell. 2005. Principles for linking fish habitat to fisheries management and conservation. *Journal of Fish Biology* 67(Supplement B), 166-185.
- Naiman, R.J., R.E. Bilby and P.A. Bisson. 2000. Riparian ecology and management in the Pacific coastal rain forest. *Bioscience* 50(9): 996-1011.
- Nakamura, G. 2000. Results of the Canopy Measurement Workshop. Workshop held at Millseat Creek near Shingletown, CA on June 1, 2000. University of California, Center for Forestry. Available at [http://www.cnr.berkeley.edu/forestry/curr\\_proj/canopywkshp/canopy.html](http://www.cnr.berkeley.edu/forestry/curr_proj/canopywkshp/canopy.html).
- National Marine Fisheries Service (NMFS). 2001. Water drafting specifications. Southwest Region. Long Beach, CA. August 2001.
- National Oceanic and Atmospheric Administration (NOAA). 2009a. Recovery Plan for the Evolutionary Significant Unit of Central California Coast Coho Salmon. National Marine Fisheries Service. Southwest Region. In preparation.
- National Oceanic and Atmospheric Administration (NOAA). 2009b. Recovery Plan for the Evolutionary Significant Unit of Southern Oregon Northern California Coast Coho Salmon. National Marine Fisheries Service. Southwest Region. In preparation.
- Nickelson, T.T., J.D. Rodgers, S.L. Johnson, M.F. Solazzi. 1992. Seasonal changes in habitat use by juvenile coho salmon (*Oncorhynchus kisutch*) in Oregon coastal streams. *Canadian Journal of Fisheries and Aquatic Sciences* 49: 783-789.
- Noss, R.F., L. Benda, T. Hamer, J. McBride, T. Roelofs, T. Sholars, and B. Ziemer. 2003. Report of Science Advisors: Mendocino Redwood Company Natural Community Conservation Plan Habitat Conservation Plan. Unpubl. Rept. 64 p.
- Opperman, J.J. and A.M. Merenlender. 2004. The effectiveness of riparian restoration for improving instream fish habitat in four hardwood-dominated California streams. *North American Journal of Fisheries Management* 24:822-834.

Reeves, G.H. 2006. The Aquatic Conservation Strategy of the Northwest Forest Plan: An Assessment after 10 years. Chapter 9 in: Northwest Forest Plan – The First 10 Years (1994-2003): Synthesis of Monitoring and Research Results. U.S. Dep. Agriculture, Forest Service. General tech Rep. PNW-GTR-651.

Reid, L.M., and S. Hilton. 1998. Buffering the buffer. Pp 71-80 in Proceedings of the conference on coastal watersheds: the Caspar Creek Story. R.R. Ziemer, ed. U.S.D.A. Forest Service Gen. Tech. Rep. PSW-GTR-168.

Rice, R.M. and P.A. Datzman. 1981. Erosion associated with cable and tractor logging in northwestern California. In: Erosion and Sediment Transport in Pacific Rim Steeplands. I.A.H.S. Publ. No. 132. 13 p. Available at: <http://www.fs.fed.us/psw/publications/rice/IAHS132rice.pdf>

Richardson, J.S. and R.J. Danehy. 2007. A synthesis of the ecology of headwater streams and their riparian zones in temperate forests. *Forest Science* 53(2):131-147.

Riley, A. L. 1998. Restoring streams in cities: A guide for planners, policymakers, and citizens. Island Press. Washington, D.C.

Robards, T.A., M.W. Berbach, P.H. Cafferata, and B.E. Valentine. 2000. A comparison of techniques for measuring canopy in watercourse and lake protection zones. California Forestry Note No. 115. California Department of Forestry and Fire Protection, Sacramento, CA. 15 p. Available online at: <http://www.demoforests.net/Warehouse/Docs/ForestryNotes/Note115.pdf>

Rollerson, T., C. Peters, and W. Beese. 2009. Variable retention windthrow monitoring project, 2001-2009. Final Report. Report of Western Forest Products Inc. Campbell River, B.C. to Forest Investment Account.

Roni, P., T.P. Quinn. 2001. Density and size of juvenile salmonids in response to placement of large woody debris in western Oregon and Washington streams. *Canadian Journal of Fisheries and Aquatic Sciences*: 58: 282-292.

Roni, P., S.A. Morley, P. Garcia, C. Detrick, D. King and E. Beamer. 2006. Coho salmon smolt production from constructed and natural floodplain habitats. *Transactions of the American Fisheries Society* 135: 1398-1408.

Rosenberg, R.J., B.L. Blad, and S.B. Verma. 1983. *The Biological Environment*. John Wiley and Sons. New York.

Rosenfeld, J.S., E. Raeburn, P.C. Carrier and R. Johnson. 2008. Effects of side channel structure on productivity of floodplain habitats for juvenile coho salmon. *North American Journal of Fisheries Management* 28: 1108-1119.