

Road Rules Proposal

Remaining Issues to be Reviewed

Prepared by Staff
Updated: April 20, 2011

Issue	Sections	Status
Road distance from watercourse or WLPZs (comment 3)	923.1 (b); 923.4(m)	Partially completed
Roads on slopes greater than 65% (comment 5, 5A)		No work to date
Unstable areas (comments 11 - others to be added)		No work to date
Road Density (comment 12- 12A)		No work to date
Ditch standards (comment 13 – 13B)		Partially completed
Culvert design (comment 14)		No work to date
Water break spacing (RRTF)	923.5 (f)	No work to date
Temp Road blocking (RRTF)	925.6 (f)	No work to date
Watercourse crossings (RRTF) (comments 18 -18K)	923.10 through 923.17	No work to date
Maintenance Period and monitoring	923.7 and 923.16	No work to date
Mapping Options (RRTF)	923.3 (b), (c), (e)	No work to date
Definitions edits (comments 16-16G)	895.1	Partially complete
Contents of Plan (RRTF)	1034 (hh)(jj) (kk) and (mm)	No work to date
ASP Intent, goals, objectives, “upstream watersheds”	923, 916.9,	Partially completed
Dip construction	923.5 (p)(1)	No work to date

Yellow Highlight indication priority issues to be considered in May 2011

Suggested issues to review in FPC: beginning 5/3/11

Definitions --- Below are new or amended definitions that are decision points by FPC. Other RRFT new or revised definitions not shown below have been reviewed by staff, received not public comment, and are recommended to be included in the proposal.

FPC Decision Points

Appurtenant road -- Two options. Cal Fire option provides greater detail.

Extended wet weather period - Public comments raised regarding the arbitrary calendar dates for establishing requirements related to the extended wet weather period (EWWP). The public comments suggested using rainfall triggers or dates based on the ground conditions instead of or in addition to arbitrary dates.

Example - "EWWP means October 15 through May 1 after 4 inches of cumulative rainfall from following October 15 or after 2 inches cumulative rainfall following April 1".

Inside ditch hydrologic capacity -- Defer discussion of this until addressing in context of DFG proposal for 923.7 maintenance and monitoring.

Road maintenance - DFG comments adds examples of road maintenance to RRFT definition. No rationale stated for inclusion of examples.

Road prism -- DFG comments adding this definition. Used in RRFT road maintenance definition.

Scour --- DFG comment. Term not found in rule text except for 895.1. Need clarification why this term is included.

Sediment filter strip - DFG comments adding this definition. Term is used in erosion site assessment section in 923.2 (d). It was also proposed for use in 923.5 (c) and (d). CGS noted the term is not necessary because of requirements in 923.5 (h).

Significant sediment discharge -- Definition to be resolved at the May, 2011 board meeting. Staff recommendation is to use the CGS/NMFS/DFG/NCRWQCB definition.

RRFT "Options" (excluding watercourse crossing options)

Water break spacing (RRTF)	923.5 (f)
Temp road blocking (RRTF)	925.6 (f)
Mapping Options	923.3 (b), (c), (e)
Contents of Plan (RRTF) <ul style="list-style-type: none"> ○ Mapping of appurtenant roads being constructed ○ Disclosure on length of roads being constructed ○ Disclosure road reconstruction ○ Disclosure of crossings ○ ASP culvert standards 	1034 (hh)(jj) (kk) and (mm)

end